

PEGA RACK AND PINION ELEVATOR

PIONEER IN INNOVATION

QUALITY – RELIABILITY – USER FRIENDLY

PEGA "PLC" - Programmable Landing Control for exact stops

PEGA "LDS" - Load Detection System – brings up to 70% lower power consumption and higher speed

PEGA "FIS" - Fault Indication System

PEGA IL 0515 TD VFC

TECHNICAL DATA

Payload capacity	kg	500
Passengers		5
Speed	m/min	60
Lifting height	m	200

CAR DIMENSIONS


Internal width x length	m	0,9 x 1,5
Internal height	m	2,49
Door opening	m	0,83 x 2,0

ELECTRICAL DATA

Power supply range	415V 50Hz 3Ph
Power supply fuse	70A
Motor machinery	PEGA/SEW
Starting current	35A
Power consumption	30kVA

WEIGHTS

Car weight approx.	kg	1500
Mast section with 1 rack	kg	134
Mast section height	m	1,508



GENERAL

The lift is equipped with frequency controlled drive and programmable control system

6,3mm tube Finnish quality steel, PEGA mast and wall tie system

Car and landing doors with electrical and mechanical inter-locks

Cable trolley system

Emergency lowering system

CONTROL SYSTEM

Push button control, floor call system

Collective control system

CONSULT - SALE - SERVICE

PEGA HOIST Ltd.

Fáblovka 547
CZ – 533 52 Pardubice
Tel.: +420 466 536 348-50
Fax.: +420 466 536 351
E-mail: info@pega-hoist.com
www.pega-hoist.com

Local representative: PEGA(Aust) Pty Ltd.

10 Motorway Circuit
Ormeau Qld 4208
Tel.: 0061 7 5549 2144
Fax: 0061 7 5549 0261
E-mail: clive@pegahoist.com.au
www.pegahoist.com.au

